


# NOVA DLC DOCK LEVELER CURTAIN

## EQUIPMENT SPECIFICATIONS



### Cover:

- 22 oz. Vinyl
- Durable
- High Chemical Resistance
- Excellent Weathering

### Stays:

- Fiberglass Laminate

**Retract via bungee cord.**

Date \_\_\_\_\_

End User \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_

State \_\_\_\_\_ Zip \_\_\_\_\_

Rep \_\_\_\_\_


Seal to Fit Model No. \_\_\_\_\_

Hydraulic  Mechanical

Leveler Width \_\_\_\_\_

Leveler Depth (Height) \_\_\_\_\_

# Of Units to be fitted \_\_\_\_\_




**⚠ DANGER**

If any Safety Labels will be obstructed by permanently affixed components of the Dock Leveler Curtain, contact the Original Equipment Manufacturer (OEM) to obtain replacement Safety Labels. Install the OEM Safety Labels in an adjacent visible area.

# NOVA DLC DOCK LEVELER CURTAIN

## EXAMPLE OF REQUIRED CUSTOM DRAWING


Step 1: Take a front-view picture of the leveler in its open position<sup>1</sup>:



Step 2: Find the overall perimeter needed for mounting the curtain (black lines in this example). Overall width is measured between the pit walls<sup>2</sup>.

Step 3: Determine all sections that need cutouts on the curtain (red lines in this example), including restraints, lip keepers, etc.

Step 4: Note the location of any dock leveler safety legs (green lines in this example) or other places needing reinforcement patches.




# NOVA DLC DOCK LEVELER CURTAIN

## EXAMPLE OF REQUIRED CUSTOM DRAWING (CONTINUED)

Step 5: Inside the border box provided, draw any cutouts that are needed in the curtain (red lines in this example) and any reinforcement patches needed (green lines in this example).

Step 6: Going from left to right, write down all the measurements between each feature (blue arrows with sample dimensions in this example). Also show the “height” of each feature. Measure in increments of  $\frac{1}{4}$ ”.




<sup>1</sup> When the leveler opens, it may “over-extend” before settling in the open position. If possible, please also provide the overall height the leveler reaches.

<sup>2</sup> Depending on the leveler, an extra bar may need to be welded to provide a larger mounting surface. Consult the original equipment manufacturer (OEM) manual for such modifications.

# NOVA DLC DOCK LEVELER CURTAIN

## CUSTOMER DRAWING

Please provide your photo with this survey. Show the necessary cutouts, patches, and dimensions below:



\*Make a note of the “over-extension” height if possible.

### Additional Notes:

---

---

---

---

---

---

---